

Notice of Allowability

Application No.

09/980,030

Examiner

Leigh McKane

Applicant(s)

GUERRA, ROGELIO AREAL

Art Unit

1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Amendments filed 10/18/06 and 10/26/06.
2. ☒ The allowed claim(s) is/are 1,64,65,67-97,99-104 and 106-125.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Van Nguyen on 19 December 2006.

The application has been amended as follows:

In claim 1:

In line 6, insert --and-- between "reagent" and "capable".

76. (Amended) The device of claim 75, wherein the device has a series of pneumatic valves (NV1, NV2, NV3, NV4, NV5, NV6, NV7, ~~and~~ NV8) controlled by the robot and activated by the touch screen connected to the robot.

77. (Amended) The device of claim 76, wherein the device has a set of electrovalves (EV1, ~~and~~ EV2) which open or close passages in several stages of the process.

Art Unit: 1744

78. (Amended) The device of claim 1, wherein the device has a series of manual valves (VM1, VM2, VM3, VM4, VM5, VM6, VM7, VM8, VM9, ~~and~~ VM10) related to maintenance, replacing liquids or inlet of reagents and solvent.

In claim 87:

In line 9, insert --deacidifying agent and carrier-- before “mixture”.

In line 10, delete “conveying a” and insert --draining the-- therefor.

In line 11, delete “remaining” and insert --residual-- therefore. Delete “arriving”.

In line 12, insert --to produce a vapor-- after “tank”.

In line 13, change “a vapor” to --the vapor--.

In claim 106:

In line 1, change “remaining” to --residual--.

In claim 124:

In lines 13 *and* 14, change “distillate” to --vapor--.

Between lines 14 and 15, insert the following phrase:

--condensing the vapor within the solvent bottle to produce a distillate;--

Art Unit: 1744

In claim 125:

In lines 11 *and* 12, change “distillate” to –vapor--.

Between lines 12 and 13, insert the following phrase:

--condensing the vapor within the solvent bottle to produce a distillate;--

Conclusion


2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leigh McKane whose telephone number is 571-272-1275. The examiner can normally be reached on Monday-Friday (5:30 am-2:00 pm).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on 571-272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR

Art Unit: 1744

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Leigh McKane
Primary Examiner
Art Unit 1744

elm
19 December 2006